

# Final Exam S1

## Computer Architecture

Duration: 1 hr. 30 min.

Last name: ..... First name: ..... Group: .....

**Write answers only on the worksheet.**

**Do not show any calculation unless you are explicitly asked.**

**Do not use a pencil or red ink.**

**Exercise 1 (2 points)**

Convert the following numbers from the source form into the destination form. Do not write down the result in a fraction or a power form (e.g. write down 0.25 and not  $\frac{1}{4}$  or  $2^{-2}$ ).

Number to Convert	Source Form	Destination Form	Result
110111011.01101	Binary	Decimal	
A34.68	Hexadecimal	Decimal	
528	Decimal	Base 5	
375.25	Base 8	Hexadecimal	

**Exercise 2 (5 points)**

Perform the following 8-bit binary operations (the two operands and the result are 8 bits wide). Then, convert the result into unsigned and signed decimal values. If an overflow occurs, write down 'ERROR' instead of the decimal value.

Operation	Binary Result	Decimal Value	
		Unsigned	Signed
10010111 - 10101101			
01010010 + 11001101			
00110110 - 10111100			
10010001 - 10000010			
01000111 + 01001100			

**Exercise 3 (6 points)**

For the whole exercise, the variables from  $S1$  to  $S6$  can be either 0 or 1. Complete the Karnaugh maps below (circles included) and give their most simplified expressions. **No points will be given to an expression if its Karnaugh map is wrong.**

1. Let us consider  $N$ , a 3-bit binary number ( $C, B, A$ ).  $A$  is the least significant bit.

- $S1 = 1$  when  $N = 1, 3, 4, 5$
- $S2 = 1$  when  $N = 0, 2, 4, 5, 6, 7$

		<b>BA</b>			
	<b>S1</b>	<b>00</b>	<b>01</b>	<b>11</b>	<b>10</b>
<b>C</b>	<b>0</b>				
	<b>1</b>				

**S1 =**

		<b>BA</b>			
	<b>S2</b>	<b>00</b>	<b>01</b>	<b>11</b>	<b>10</b>
<b>C</b>	<b>0</b>				
	<b>1</b>				

**S2 =**

2. Let us consider  $N$ , a 4-bit binary number ( $D, C, B, A$ ).  $A$  is the least significant bit.

- $S3 = 1$  when  $N = 0, 1, 2, 3, 4, 5, 6, 7, 9, 11, 13, 15$
- $S4 = 1$  when  $N = 0, 1, 4, 6, 8, 9, 12, 14$
- $S5 = 1$  when  $N = 5, 7, 13, 15$  and  $S5$  is undefined when  $N = 0, 2, 8, 10$
- $S6 = 1$  when  $N = 2, 6$  and  $S6$  is undefined when  $N = 0, 1, 4, 5, 8, 9, 12, 13$

		<b>BA</b>			
	<b>S3</b>	<b>00</b>	<b>01</b>	<b>11</b>	<b>10</b>
<b>DC</b>	<b>00</b>				
	<b>01</b>				
	<b>11</b>				
	<b>10</b>				

**S3 =**

		<b>BA</b>			
	<b>S4</b>	<b>00</b>	<b>01</b>	<b>11</b>	<b>10</b>
<b>DC</b>	<b>00</b>				
	<b>01</b>				
	<b>11</b>				
	<b>10</b>				

**S4 =**

		<b>BA</b>			
	<b>S5</b>	<b>00</b>	<b>01</b>	<b>11</b>	<b>10</b>
<b>DC</b>	<b>00</b>				
	<b>01</b>				
	<b>11</b>				
	<b>10</b>				

**S5 =**

		<b>BA</b>			
	<b>S6</b>	<b>00</b>	<b>01</b>	<b>11</b>	<b>10</b>
<b>DC</b>	<b>00</b>				
	<b>01</b>				
	<b>11</b>				
	<b>10</b>				

**S6 =**

**Exercise 4 (7 points)****For the whole exercise, write down the result only (do not show any calculation).**

Let us consider the two following expressions:

$$S1 = (A + \bar{B} + C).(A + \bar{C}).(\bar{A} + \bar{B})$$

$$S2 = \bar{A}.(A + BC).(A.D + C) + \bar{A}.C$$

1. Give the most simplified expressions of  $S1$  and  $S2$ . **The result must be given as a sum of products (without parentheses).**

S1 =

S2 =

2. Write down the minterm canonical form of  $S1$ .

S1 =

3. Write down the maxterm canonical form of  $S1$ .

S1 =


4. If  $A = 1$ , give the most simplified expression of  $S1$ .

S1 =

5. Simplify the following expression by using the EXCLUSIVE-OR operator:  $A + B.C.D + B.\bar{C}.\bar{D}$

6. Simplify the following expression by using the EXCLUSIVE-OR operator:  $B.C + \bar{A}.B + A.\bar{B}.\bar{C}$

Feel free to use the blank space below if you need to:

A large, empty rectangular box with a thin black border, occupying most of the page. It is intended for the student to provide answers or show work during the exam.